



NORDSKYDD AB

WHOLESALE FIRE SAFETY EQUIPMENT

NORDSKYDD

Wholesale fire safety equipment manufactured in Europe, supplied to trade buyers across the EU and EEA with conformity documents in every consignment.

Wholesale distribution with documentation buyers can file.

NORDSKYDD AB is a wholesale distributor supplying European-manufactured fire safety equipment to installers, service companies, facility managers, retailers, and resellers across the EU and EEA.

33

CATALOGUE ARTICLE
LINES

16

EU AND EEA DELIVERY
MARKETS

B2B

WHOLESALE TRADE
SUPPLY

EN

HARMONISED
STANDARDS ON THE
CATALOGUE

HOW WE WORK

A distributor built for trade buyers who quote against standards, not categories.

NORDSKYDD is a wholesale distributor based in Gothenburg, supplying certified fire safety articles with conformity paperwork that survives goods-in and audit, without chasing three suppliers for one consignment.

Our catalogue is deliberately focused: portable extinguishers from 1 kg to 12 kg across powder, liquid, foam, CO₂, and water-mist media, fire blankets, bundled home safety kits, workplace signage, and vehicle boot lines. Every article is manufactured in Europe to harmonised EN standards. We source from European production, consolidate orders, and ship with the declaration of conformity and destination-language instructions in every box.

We do not manufacture equipment, run field service crews, or hold ourselves out as an on-site compliance contractor. We distribute what European manufacturers build, with the documentation trade buyers and procurement teams need on delivery.



Wholesale distribution with documentation buyers can file.

HOW WE WORK

The four rules behind every consignment.

The right standard on the label

Every line is quoted against the EN standard your specification names, not a generic category.

Documents in the box

Declaration of conformity, instructions in the destination language, and maintenance intervals where the standard requires them.

European manufacture stated clearly

We distribute equipment manufactured in Europe. We do not relabel third-party products as our own production.

One desk for repeat orders

Article numbers, conformity copies, and carriage notes stay on your account so the second order does not start from zero.

Four equipment families, one trade catalogue.



Portable fire extinguishers

EN 3-7

ABC powder and ABF foam units from 1 kg to 12 kg, plus CO₂, foam, and water-mist lines, manufactured in Europe, with wall holders and pressure gauges where the article specification includes them.



Vehicle safety equipment

EN 3-7 · DIN 13164


Car fire extinguishers, DIN 13164 first aid kits, warning triangles, and bundled boot kits for fleets and motor trade.



Fire blankets

EN 1869

100 x 100 cm glass fibre blankets in wall-hang storage bags for kitchen and small-fire cover, manufactured in Europe.



Home safety kits

EN 3-7 AND EN 14604

Bundled extinguisher and smoke detector kits for landlords, housing associations, and retailers who need one SKU for a dwelling refit.

From specification to a consignment you can file.

01

Specify what you need

Send the article numbers or a description of the premises, quantities, and delivery address. If you are unsure which extinguisher rating or detector model fits, tell us the building type and we will quote against the usual specification.

02

Quote with documents

You get line-item pricing and confirmation of which EN standard each article is certified to, before anything is ordered. Lead times depend on manufacturer availability and carriage method, and we state both on the quotation.

03

Source, pack, and dispatch

Confirmed orders are picked from our trade suppliers, packed for carriage, and dispatched with conformity documents, maintenance intervals where they apply, and tracking to your site.

04

Support after delivery

Need a replacement unit, spare bracket, or repeat order on the same article numbers? The equipment desk keeps conformity copies against your account and can quote spares without re-specifying the whole catalogue.

Equipment

Portable extinguishers, fire blankets, home safety kits, signage, and vehicle equipment manufactured in Europe for wholesale trade supply across the EU and EEA.



Portable extinguisher

CE

EN 3-7

ABC Powder Fire Extinguisher, 1 kg

Stored-pressure 1 kg ABC powder cylinder rated 8A 34B C, with pressure gauge and wall holder for vehicles, unheated rooms, and outdoor points.

FIRE RATING	CAPACITY	EXTINGUISHING MEDIUM
8A 34B C	1 kg	ABC dry powder
STANDARD	DISCHARGE TIME	OPERATING TEMPERATURE
EN 3-7	6 seconds	-30 °C to +60 °C
ELECTRICAL SAFETY	DIMENSIONS	GROSS WEIGHT
Live equipment to 1000 V at 1 m minimum	297 mm high, 86 mm cylinder diameter	1.7 kg
MOUNTING	MANUFACTURE	ARTICLE NUMBER
Pressure gauge and wall holder included	Manufactured in Europe	NV-FE-101

INCOTERMS

EXW · FCA · DAP

HS CODE

8424.10

Equipment

Portable extinguisher

CE

ISO 9001

Domestic Liquid Fire Extinguisher, 2 L, White

White 2 L ABF liquid extinguisher with FUREX agent for kitchens, living rooms, and bedrooms where a white domestic cylinder and basket hanger must blend with interior finishes.



MANUFACTURER MODEL	CAPACITY	EXTINGUISHING MEDIUM
UGPN-2x ABF/M (Domowa 2 white)	2 L	1.56 L demineralized water + 0.4 L FUREX A + 0.04 L FUREX AFFF cartridge
STANDARD	OPERATING TEMPERATURE	ELECTRICAL SAFETY
Supplementary domestic equipment (not EN 3-7; white tank, no CNBOP-PIB)	+5 °C to +60 °C	Live equipment to 1000 V
DIMENSIONS	GROSS WEIGHT	COLOUR
368 mm high, 110 mm cylinder diameter	3.5 kg	White cylinder and hanger
MOUNTING	WARRANTY	MANUFACTURE
White metal basket wall hanger included	5 years from date of manufacture	Manufactured in Poland
ARTICLE NUMBER	EAN	
NV-FE-D20W	5907620602452	
INCOTERMS	EXW · FCA · DAP	HS CODE 8424.10

Equipment

- Portable extinguisher
- CE
- EN 3-7
- CNBOP-PIB
- ISO 9001

ABC Powder Fire Extinguisher, 1 kg, with Vehicle Hanger

Stored-pressure 1 kg ABC powder cylinder rated 8A 34B C with a plastic vehicle hanger for passenger cars, camper vans, and small boats where a 1.7 kg unit must fit in a footwell or boot.



MANUFACTURER MODEL	FIRE RATING	CAPACITY
GP-1x ABC/M	8A 34B C	1 kg
EXTINGUISHING MEDIUM	STANDARD	OPERATING TEMPERATURE
ABC dry powder	EN 3-7 (CNBOP-PIB approved)	-30 °C to +60 °C
ELECTRICAL SAFETY	DIMENSIONS	GROSS WEIGHT
Live equipment to 1000 V at 1 m minimum	288 mm high, 86 mm cylinder diameter	1.7 kg
MOUNTING	WARRANTY	MANUFACTURE
Plastic vehicle hanger included	3 years from date of manufacture	Manufactured in Poland
EAN		
5907620600700		
INCOTERMS EXW · FCA · DAP HS CODE 8424.10		

Equipment

Portable extinguisher

CE

ISO 9001

Domestic Liquid Fire Extinguisher, 2 L, Red

Red 2 L ABF liquid extinguisher with FUREX agent for kitchens, living rooms, and bedrooms where a recognisable red domestic cylinder and Class F cover are preferred over a workplace-rated EN 3-7 portable.



MANUFACTURER MODEL	CAPACITY	EXTINGUISHING MEDIUM
UGPN-2x ABF/M (Domowa 2 red)	2 L	1.56 L demineralized water + 0.4 L FUREX A + 0.04 L FUREX AFFF cartridge
STANDARD	OPERATING TEMPERATURE	ELECTRICAL SAFETY
Supplementary domestic equipment (not EN 3-7; non-standard label, no CNBOP-PIB)	+5 °C to +60 °C	Live equipment to 1000 V
DIMENSIONS	GROSS WEIGHT	COLOUR
368 mm high, 110 mm cylinder diameter	3.5 kg	Red cylinder and hanger
MOUNTING	WARRANTY	MANUFACTURE
Red metal basket wall hanger included	5 years from date of manufacture	Manufactured in Poland
ARTICLE NUMBER	EAN	
NV-FE-D20R	5907620602469	
INCOTERMS	EXW · FCA · DAP	HS CODE 8424.10

Equipment

- Portable extinguisher
- CE
- EN 3-7
- CNBOP-PIB
- ISO 9001

ABC Powder Fire Extinguisher, 4 kg

Stored-pressure 4 kg ABC powder cylinder rated 27A 144B C under EN 3-7 with CNBOP-PIB approval, with metal hook wall hanger for boiler rooms, garages, and workshops.



MANUFACTURER MODEL	FIRE RATING	CAPACITY
GP-4x ABC/MP	27A 144B C	4 kg
EXTINGUISHING MEDIUM	STANDARD	OPERATING TEMPERATURE
ABC dry powder	EN 3-7 (CNBOP-PIB approved)	-30 °C to +60 °C
ELECTRICAL SAFETY	DIMENSIONS	GROSS WEIGHT
Live equipment to 1000 V	463 mm high, 140 mm cylinder diameter	6.8 kg
MOUNTING	WARRANTY	MANUFACTURE
Metal hook wall hanger included	2 years from date of manufacture	Manufactured in Poland
ARTICLE NUMBER	EAN	
NV-FE-104	5907620600403	
INCOTERMS	EXW · FCA · DAP	HS CODE 8424.10

Equipment



Portable extinguisher

CE

ISO 9001

Domestic Liquid Fire Extinguisher, 0.7 L

Compact 0.7 L liquid extinguisher rated 3A 5F with FUREX CASA BIO agent for kitchens, living rooms, and bedrooms where a white domestic cylinder is preferred over a red EN 3-7 portable.

MANUFACTURER MODEL	FIRE RATING	CAPACITY
Domowa 1	3A 5F	0.7 L
EXTINGUISHING MEDIUM	STANDARD	OPERATING TEMPERATURE
FUREX CASA BIO liquid	Supplementary domestic equipment (not EN 3-7; white tank, no CNBOP-PIB)	-30 °C to +60 °C
ELECTRICAL SAFETY	DIMENSIONS	GROSS WEIGHT
Live equipment to 1000 V	286 mm high, 86 mm cylinder diameter	1.6 kg
COLOUR	WARRANTY	MANUFACTURE
White cylinder	5 years from date of manufacture	Manufactured in Poland
ARTICLE NUMBER	EAN	
NV-FE-D07	5907620600892	
INCOTERMS	EXW · FCA · DAP	HS CODE 8424.10

Equipment

- Portable extinguisher
- CE
- EN 3-7
- CNBOP-PIB
- ISO 9001

ABC Powder Fire Extinguisher, 6 kg

Stored-pressure 6 kg ABC powder cylinder rated 55A 233B C under EN 3-7, with metal hook wall hanger for boiler rooms, garages, and workshops where a full workplace rating is required.



MANUFACTURER MODEL	FIRE RATING	CAPACITY
GP-6x ABC/MP	55A 233B C	6 kg
EXTINGUISHING MEDIUM	STANDARD	OPERATING TEMPERATURE
ABC dry powder	EN 3-7	-30 °C to +60 °C
ELECTRICAL SAFETY	DIMENSIONS	GROSS WEIGHT
Live equipment to 1000 V	495 mm high, 160 mm cylinder diameter	9.3 kg
MOUNTING	WARRANTY	MANUFACTURE
Metal hook wall hanger included	2 years from date of manufacture	Manufactured in Poland
ARTICLE NUMBER	EAN	
NV-FE-106	5907620600557	
INCOTERMS	EXW · FCA · DAP	HS CODE 8424.10

Equipment

Portable extinguisher

CE

EN 3-7

CNBOP-PIB

ISO 9001

Liquid Fire Extinguisher, 2 L ABF

Stored-pressure 2 L ABF liquid cylinder rated 8A 55B 40F under EN 3-7 with CNBOP-PIB approval, for kitchens and living rooms where foam solution can extinguish cooking fats and flammable liquids without powder residue.



MANUFACTURER MODEL

GPN-2x ABF/M

FIRE RATING

8A 55B 40F

CAPACITY

2 L

EXTINGUISHING MEDIUM

**1.56 L demineralized water +
0.4 L FUREX A + 0.04 L FUREX
AFFF cartridge**

STANDARD

**EN 3-7 (CNBOP-PIB
approved)**

OPERATING TEMPERATURE

+5 °C to +60 °C

ELECTRICAL SAFETY

Live equipment to 1000 V

DIMENSIONS

**368 mm high, 110 mm
cylinder diameter**

GROSS WEIGHT

3.5 kg

COLOUR

Red cylinder and base

MOUNTING

**Red metal basket wall
hanger included**

WARRANTY

**2 years from date of
manufacture**

MANUFACTURE

Manufactured in Poland

ARTICLE NUMBER

NV-FE-L2A

EAN

5907620600304**INCOTERMS EXW · FCA · DAP****HS CODE 8424.10**

Equipment

- Portable extinguisher
- CE
- EN 3-7
- CNBOP-PIB
- ISO 9001

ABC Powder Fire Extinguisher, 9 kg

Stored-pressure 9 kg ABC powder cylinder rated 55A 233B C under EN 3-7 with CNBOP-PIB approval, with metal hook wall hanger for boiler rooms, garages, and workshops where the largest portable charge is required.



MANUFACTURER MODEL	FIRE RATING	CAPACITY
GP-9x ABC/MP	55A 233B C	9 kg
EXTINGUISHING MEDIUM	STANDARD	OPERATING TEMPERATURE
FUREX S ABC	EN 3-7 (CNBOP-PIB approved)	-30 °C to +60 °C
ELECTRICAL SAFETY	DIMENSIONS	GROSS WEIGHT
Live equipment to 1000 V	588 mm high, 185 mm cylinder diameter	14 kg
MOUNTING	WARRANTY	MANUFACTURE
Metal hook wall hanger included	2 years from date of manufacture	Manufactured in Poland
ARTICLE NUMBER	EAN	
NV-FE-109	5907620602346	
INCOTERMS	EXW · FCA · DAP	HS CODE 8424.10

Equipment



- Portable extinguisher
- CE
- EN 3-7
- CNBOP-PIB
- ISO 9001

BC Powder Fire Extinguisher, 1 kg, with Vehicle Hanger

Compact 1 kg BC powder cylinder rated 21B C with a plastic vehicle hanger for cars, camper vans, and small boats where a 1.6 kg unit must fit in a footwell or boot.

MANUFACTURER MODEL	FIRE RATING	CAPACITY
GP-1z BC/M	21B C	1 kg
EXTINGUISHING MEDIUM	STANDARD	OPERATING TEMPERATURE
BC dry powder	EN 3-7	-20 °C to +60 °C
ELECTRICAL SAFETY	DIMENSIONS	GROSS WEIGHT
Live equipment to 1000 V	265 mm high, 86 mm cylinder diameter	1.6 kg
MOUNTING	WARRANTY	MANUFACTURE
Plastic vehicle hanger included	5 years from date of manufacture	Manufactured in Poland
ARTICLE NUMBER	EAN	
NV-FE-1ZC	5907620600458	
INCOTERMS	EXW · FCA · DAP	HS CODE 8424.10

Equipment

Portable extinguisher

CE

EN 3-7

CNBOP-PIB

ISO 9001

Liquid Fire Extinguisher, 3 L ABF

Stored-pressure 3 L ABF liquid cylinder rated 13A 89B 40F under EN 3-7 with CNBOP-PIB approval, for kitchens, offices, and light workplaces where foam solution can extinguish cooking fats and flammable liquids without powder residue.



MANUFACTURER MODEL

GPN-3x ABF

FIRE RATING

13A 89B 40F

CAPACITY

3 L

EXTINGUISHING MEDIUM

**2.34 L demineralized water +
0.6 L Furex A + 0.06 L Furex
AFFF cartridge**

STANDARD

**EN 3-7 (CNBOP-PIB
approved)**

OPERATING TEMPERATURE

+5 °C to +60 °C

ELECTRICAL SAFETY

Live equipment to 1000 V

DIMENSIONS

**412 mm high, 125 mm
cylinder diameter**

GROSS WEIGHT

4.8 kg

COLOUR

Red cylinder, black base

MOUNTING

**Silver metal wall hanger
included**

WARRANTY

**2 years from date of
manufacture**

MANUFACTURE

Manufactured in Poland

ARTICLE NUMBER

NV-FE-L3A

EAN

1GPN303000-001**INCOTERMS EXW · FCA · DAP****HS CODE 8424.10**

Equipment

- Portable extinguisher
- CE
- EN 3-7
- CNBOP-PIB
- ISO 9001

ABC Powder Fire Extinguisher, 12 kg

Stored-pressure 12 kg ABC powder cylinder rated 55A 233B C under EN 3-7 with CNBOP-PIB approval, with metal hook wall hanger for boiler rooms, garages, and workshops where the largest domestic portable charge is required.



MANUFACTURER MODEL	FIRE RATING	CAPACITY
GP-12x ABC	55A 233B C	12 kg
EXTINGUISHING MEDIUM	STANDARD	OPERATING TEMPERATURE
ABC dry powder	EN 3-7 (CNBOP-PIB approved)	-30 °C to +60 °C
ELECTRICAL SAFETY	DIMENSIONS	GROSS WEIGHT
Live equipment to 1000 V	658 mm high, 185 mm cylinder diameter	19 kg
MOUNTING	WARRANTY	MANUFACTURE
Metal hook wall hanger included	2 years from date of manufacture	Manufactured in Poland
ARTICLE NUMBER	EAN	
NV-FE-112	5907620601141	
INCOTERMS	EXW · FCA · DAP	HS CODE 8424.10

Equipment

- Portable extinguisher
- CE
- EN 3-7
- CNBOP-PIB
- ISO 9001

ABC Powder Fire Extinguisher, 2 kg, with Metal Basket Hanger

Stored-pressure 2 kg ABC powder cylinder rated 13A 89B C with a metal basket hanger for passenger cars, camper vans, and small boats where a 3.7 kg unit must fit in a boot or cabin.



MANUFACTURER MODEL	FIRE RATING	CAPACITY
GP-2x ABC/M	13A 89B C	2 kg
EXTINGUISHING MEDIUM	STANDARD	OPERATING TEMPERATURE
ABC dry powder	EN 3-7 (CNBOP-PIB approved)	-30 °C to +60 °C
ELECTRICAL SAFETY	DIMENSIONS	GROSS WEIGHT
Live equipment to 1000 V	366 mm high, 110 mm cylinder diameter	3.7 kg
MOUNTING	WARRANTY	MANUFACTURE
Metal basket hanger included	2 years from date of manufacture	Manufactured in Poland
EAN		
5907620600229		
INCOTERMS	EXW · FCA · DAP	HS CODE 8424.10

Equipment

Portable extinguisher

CE

EN 3-7

CNBOP-PIB

ISO 9001

Water Mist Fire Extinguisher, 6 L

Stored-pressure 6 L water mist cylinder rated 13A 40F under EN 3-7 with CNBOP-PIB approval, for living rooms, bedrooms, and offices where demineralized water mist can extinguish clothing, paper, and cooking fats without powder residue.



MANUFACTURER MODEL

GWM-6x AF/MP

FIRE RATING

13A 40F

CAPACITY

6 L

EXTINGUISHING MEDIUM

Demineralized water

STANDARD

EN 3-7

OPERATING TEMPERATURE

+5 °C to +60 °C

ELECTRICAL SAFETY

**Live equipment to 1000 V at
1 m minimum**

DIMENSIONS

**502 mm high, 160 mm
cylinder diameter**

GROSS WEIGHT

9.5 kg

COLOUR

Red cylinder, black base

MOUNTING

**Metal hook wall hanger
included**

WARRANTY

**2 years from date of
manufacture**

MANUFACTURE

Manufactured in Poland

ARTICLE NUMBER

NV-FE-WM6

EAN

5907620602377

INCOTERMS EXW · FCA · DAP

HS CODE 8424.10

Equipment

Portable extinguisher

CE

ISO 9001

CO2 Electronic Equipment Extinguisher, 2 kg, with UDT Permit

2 kg CO2 snow device, model GSE-2x, for computers, AV equipment, and small control cabinets where powder or thermal shock from standard CO2 would damage sensitive electronics.



MANUFACTURER MODEL	CAPACITY	EXTINGUISHING MEDIUM
GSE-2x	2 kg	CO2
STANDARD	OPERATING TEMPERATURE	ELECTRICAL SAFETY
Supplementary equipment (not EN 3-7; no CNBOP-PIB, UDT operating permit)	-30 °C to +60 °C	Live equipment to 1000 V
DIMENSIONS	GROSS WEIGHT	COLOUR
543 mm high, 105 mm cylinder diameter	6.5 kg	Red cylinder, red handle, black discharge tube
MOUNTING	WARRANTY	MANUFACTURE
Red disc wall hanger with black strap included	2 years from date of manufacture	Manufactured in Poland
ARTICLE NUMBER	EAN	
NV-FE-CO2U	5907620600250	
INCOTERMS	EXW · FCA · DAP	HS CODE 8424.10

Equipment

- Portable extinguisher
- CE
- EN 3-7
- CNBOP-PIB
- ISO 9001

Liquid Fire Extinguisher, 6 L ABF

Stored-pressure 6 L ABF liquid cylinder rated 21A 233B 40F under EN 3-7 with CNBOP-PIB approval, for offices, boiler rooms, and kitchens where foam solution can extinguish cooking fats and flammable liquids without powder residue.



MANUFACTURER MODEL	FIRE RATING	CAPACITY
GPN-6x ABF/MP	21A 233B 40F	6 L
EXTINGUISHING MEDIUM	STANDARD	OPERATING TEMPERATURE
5.91 L demineralized water + 0.09 L Furex AFFF cartridge	EN 3-7	+5 °C to +60 °C
ELECTRICAL SAFETY	DIMENSIONS	GROSS WEIGHT
Live equipment to 1000 V	502 mm high, 160 mm cylinder diameter	9.5 kg
COLOUR	MOUNTING	WARRANTY
Red cylinder, black base	Metal hook wall hanger included	2 years from date of manufacture
MANUFACTURE	ARTICLE NUMBER	EAN
Manufactured in Poland	NV-FE-L6A	5907620601165
INCOTERMS	EXW · FCA · DAP	HS CODE 8424.10

Equipment

- Portable extinguisher
- CE
- EN 3-7
- CNBOP-PIB
- ISO 9001

CO2 Fire Extinguisher, 5 kg, with UDT Permit

5 kg CO2 cylinder rated 89B under EN 3-7 with CNBOP-PIB approval and a UDT operating permit, for offices, electronics bays, and workshops where powder residue would damage sensitive equipment.



MANUFACTURER MODEL	FIRE RATING	CAPACITY
GS-5x B/MP	89B	5 kg
EXTINGUISHING MEDIUM	STANDARD	OPERATING TEMPERATURE
CO2	EN 3-7 (CNBOP-PIB approved, UDT permit)	-30 °C to +60 °C
ELECTRICAL SAFETY	DIMENSIONS	GROSS WEIGHT
Live equipment to 1000 V / 245 000 V	685 mm high, 136 mm cylinder diameter	14 kg
COLOUR	MOUNTING	WARRANTY
Red cylinder, black hose and horn	Disc wall hanger with strap included	2 years from date of manufacture
MANUFACTURE	ARTICLE NUMBER	EAN
Manufactured in Poland	NV-FE-CO5U	5907620600502
INCOTERMS	EXW · FCA · DAP	HS CODE 8424.10

Equipment

- Portable extinguisher
- CE
- CNBOP-PIB
- ISO 9001
- PED 2014/68/EU

Foam Fire Extinguisher, 2 L VER-DIS Li-Ion

Stored-pressure 2 L VERDIS foam cylinder rated 8A with CNBOP-PIB approval, for offices, living rooms, and bedrooms where lithium-ion battery fires on laptops, tablets, and powerbanks need controlled cooling without powder residue.



MANUFACTURER MODEL	FIRE RATING	CAPACITY
GW-2x A/VER-DIS	8A	2 L
EXTINGUISHING MEDIUM	STANDARD	OPERATING TEMPERATURE
VERDIS	CNBOP-PIB approved (świadectwo dopuszczenia); not EN 3-7	+5 °C to +60 °C
ELECTRICAL SAFETY	DIMENSIONS	GROSS WEIGHT
Live equipment to 1000 V at 1 m minimum	368 mm high, 110 mm cylinder diameter	~3.6 kg
COLOUR	MOUNTING	WARRANTY
Red cylinder	Red metal basket wall hanger included	2 years from date of manufacture
MANUFACTURE	ARTICLE NUMBER	
Manufactured in Poland	NV-FE-VD2	
INCOTERMS	EXW · FCA · DAP	HS CODE 8424.10

Equipment

Portable extinguisher

CE

CNBOP-PIB

ISO 9001

PED 2014/68/EU

Foam Fire Extinguisher, 6 L VER-DIS Li-Ion

Stored-pressure 6 L VERDIS foam cylinder rated 21A with CNBOP-PIB approval, for workshops, garages, and e-mobility points where lithium-ion battery fires on scooters, e-bikes, and cordless equipment need controlled cooling without powder residue.



MANUFACTURER MODEL

GW-6x A/VER-DIS

FIRE RATING

21A

CAPACITY

6 L

EXTINGUISHING MEDIUM

VERDIS

STANDARD

**ISO 9001 quality system;
PED 2014/68/EU; CNBOP-PIB
approval certificate issued
(GW-6x A/VER-DIS)**

OPERATING TEMPERATURE

+5 °C to +60 °C

ELECTRICAL SAFETY

**Live equipment to 1000 V at
1 m minimum**

DIMENSIONS

**502 mm high, 160 mm
cylinder diameter**

GROSS WEIGHT

11.5 kg

COLOUR

**Red cylinder, black base and
hose**

MOUNTING

**Silver metal hook wall
hanger included**

WARRANTY

**2 years from date of
manufacture**

MANUFACTURE

Manufactured in Poland

ARTICLE NUMBER

NV-FE-VD6**INCOTERMS EXW · FCA · DAP****HS CODE 8424.10**

Equipment

- Portable extinguisher
- CE
- EN 3-7
- CNBOP-PIB
- ISO 9001

Liquid Fire Extinguisher, 6 L AB Fluorine-Free

Stored-pressure 6 L fluorine-free AB liquid cylinder rated 27A 144B under EN 3-7 with CNBOP-PIB approval, for offices, boiler rooms, and workshops where a mid-size foam portable is needed without PFAS in the agent.



MANUFACTURER MODEL	FIRE RATING	CAPACITY
GPN-6x AB/FF	27A 144B	6 L
EXTINGUISHING MEDIUM	STANDARD	OPERATING TEMPERATURE
6 L FFX150 fluorine-free AB foam solution	EN 3-7 (CNBOP-PIB approved)	0 °C to +60 °C
ELECTRICAL SAFETY	DIMENSIONS	GROSS WEIGHT
Live equipment to 1000 V	502 mm high, 160 mm cylinder diameter	9.4 kg
COLOUR	MOUNTING	WARRANTY
Red cylinder, green base and nozzle	Silver metal hook wall hanger included	2 years from date of manufacture
MANUFACTURE	ARTICLE NUMBER	EAN
Manufactured in Poland	NV-FE-L6F	5907620602490
INCOTERMS	EXW · FCA · DAP	HS CODE 8424.10

Equipment

- Portable extinguisher
- CE
- EN 3-7
- CNBOP-PIB
- ISO 9001

Liquid Fire Extinguisher, 6 L AB

Stored-pressure 6 L AB liquid cylinder rated 21A 183B under EN 3-7 with CNBOP-PIB approval, for offices, boiler rooms, and workshops where foam solution can extinguish solids and flammable liquids without powder residue.



MANUFACTURER MODEL	FIRE RATING	CAPACITY
GPN-6x AB	21A 183B	6 L
EXTINGUISHING MEDIUM	STANDARD	OPERATING TEMPERATURE
5.91 L demineralized water + 0.09 L BOAL AFFF compact	EN 3-7 (CNBOP-PIB approved)	+5 °C to +60 °C
ELECTRICAL SAFETY	DIMENSIONS	GROSS WEIGHT
Live equipment to 1000 V	502 mm high, 160 mm cylinder diameter	9.3 kg
COLOUR	MOUNTING	WARRANTY
Red cylinder, black base	Metal hook wall hanger included	2 years from date of manufacture
MANUFACTURE	ARTICLE NUMBER	EAN
Manufactured in Poland	NV-FE-L6B	5907620600380
INCOTERMS	EXW · FCA · DAP	HS CODE 8424.10

Equipment

- Portable extinguisher
- CE
- EN 3-7
- CNBOP-PIB
- ISO 9001

Liquid Fire Extinguisher, 9 L AB Fluorine-Free

Stored-pressure 9 L fluorine-free AB liquid cylinder rated 34A 183B under EN 3-7 with CNBOP-PIB approval, for offices, warehouses, and public buildings where a large foam portable is needed without PFAS in the agent.



MANUFACTURER MODEL	FIRE RATING	CAPACITY
GPN-9x AB/FF	34A 183B	9 L
EXTINGUISHING MEDIUM	STANDARD	OPERATING TEMPERATURE
9 L FFX150 fluorine-free AB foam solution	EN 3-7 (CNBOP-PIB approved)	0 °C to +60 °C
ELECTRICAL SAFETY	DIMENSIONS	GROSS WEIGHT
Live equipment to 1000 V	576 mm high, 185 mm cylinder diameter	14 kg
COLOUR	MOUNTING	WARRANTY
Red cylinder, green base and nozzle	Silver metal hook wall hanger included	2 years from date of manufacture
MANUFACTURE	ARTICLE NUMBER	EAN
Manufactured in Poland	NV-FE-L9F	5907620602513
INCOTERMS	EXW · FCA · DAP	HS CODE 8424.10

Equipment

- Portable extinguisher
- CE
- EN 3-7
- CNBOP-PIB
- ISO 9001

CO2 Fire Extinguisher, 2 kg, with UDT Permit

2 kg CO2 snow extinguisher rated 34B under EN 3-7 with CNBOP-PIB approval and a UDT operating permit, for offices, server rooms, and electronics bays where powder residue would damage sensitive equipment.



MANUFACTURER MODEL	FIRE RATING	CAPACITY
GS-2x B	34B	2 kg
EXTINGUISHING MEDIUM	STANDARD	OPERATING TEMPERATURE
CO2	EN 3-7 (CNBOP-PIB approved, UDT permit)	-30 °C to +60 °C
ELECTRICAL SAFETY	DIMENSIONS	GROSS WEIGHT
Live equipment to 1000 V	543 mm high, 105 mm cylinder diameter	7 kg
COLOUR	MOUNTING	WARRANTY
Red cylinder, red handle, black horn	Metal wall hanger with strap included	2 years from date of manufacture
MANUFACTURE	ARTICLE NUMBER	
Manufactured in Poland	NV-FE-CO2B	
INCOTERMS	EXW · FCA · DAP	HS CODE 8424.10

Equipment

Portable extinguisher

CE

CNBOP-PIB

ISO 9001

PED 2014/68/EU

Foam Fire Extinguisher, 9 L VER-DIS Li-Ion

Stored-pressure 9 L VERDIS foam cylinder rated 27A with CNBOP-PIB approval, for workshops, garages, and e-mobility points where lithium-ion battery fires on scooters, e-bikes, and cordless equipment need controlled cooling without powder residue.



MANUFACTURER MODEL

GW-9x A/VER-DIS

FIRE RATING

27A

CAPACITY

9 L

EXTINGUISHING MEDIUM

VERDIS

STANDARD

CNBOP-PIB approved
(świadectwo dopuszczenia);
not EN 3-7

OPERATING TEMPERATURE

+5 °C to +60 °C

ELECTRICAL SAFETY

Live equipment to 1000 V at
1 m minimum

DIMENSIONS

576 mm high, 185 mm
cylinder diameter

GROSS WEIGHT

14 kg

COLOUR

Red cylinder, black base and
hose

MOUNTING

Silver metal hook wall
hanger included

WARRANTY

2 years from date of
manufacture

MANUFACTURE

Manufactured in Poland

ARTICLE NUMBER

NV-FE-VD9

INCOTERMS EXW · FCA · DAP

HS CODE 8424.10

Equipment

Home safety

CE

EN 1869

CNBOP-PIB

Glass Fibre Fire Blanket, 1.2 x 1.8 m

Woven glass fibre fire blanket to PN-EN 186:2019 with CNBOP-PIB approval, folded in a red wall-hang storage cover for kitchens, garages, and workplaces where a reachable smothering layer is preferred over spraying agent.



MANUFACTURER MODEL	MATERIAL	STANDARD
ECST 200-150	Woven glass fibre	PN-EN 186:2019 (not EN 3-7; CNBOP-PIB approved)
DIMENSIONS	GROSS WEIGHT	COLOUR
1.2 x 1.8 m	1.44 kg	Red wall-hang storage cover
MOUNTING	MANUFACTURE	ARTICLE NUMBER
Red wall-hang storage cover with grommets and pull handles (no separate hanger)	Manufactured in Poland	NV-FB-1218
EAN		
5907522977948		
INCOTERMS	EXW · FCA · DAP	HS CODE 6307.90

Equipment

Vehicle equipment

CE

DIN 13164:2022

Car First Aid Kit, DIN 13164:2022

Compact red soft-pouch vehicle first aid kit to DIN 13164:2022 with a full dressing set for passenger cars, taxis, driving-school vehicles, and fleet cabins where a road-legal kit must fit in a glove box or boot.



STANDARD

**DIN 13164:2022 (not EN 3-7;
no CNBOP-PIB)**

CONTENTS

Adhesive tape 5 m x 2.5 cm (1), plasters (14), individual dressings 6 x 8 cm (1), 8 x 10 cm (2), 10 x 12 cm (1), dressing scarf 60 x 80 cm (1), triangular bandage 96 x 96 x 136 cm (1), scissors (1), disposable masks (2), disposable gloves (4), first-aid leaflet (1), elastic bandages 6 cm x 4 m (2) and 8 cm x 4 m (3), compresses 10 x 10 cm (6), rescue blanket 160 x 210 cm (1), impregnated wipes 12.5 x 18 cm (2)

DIMENSIONS

**220 mm wide x 130 mm high
x 55 mm deep**

GROSS WEIGHT

0.37 kg

COLOUR

Red soft pouch

MOUNTING

None (no vehicle hanger)

MANUFACTURE

**Manufactured by GAUKE
GAUKE HEALTHCARE Co.,
Ltd., China**

ARTICLE NUMBER

NV-FAK-CAR

EAN

5907620602476

INCOTERMS EXW · FCA · DAP

HS CODE 3006.50

Equipment

Safety signage

CNBOP-PIB

Fire Extinguisher Sign F01, 150 x 150 mm

Self-adhesive hard PVC fire extinguisher sign to PN-EN ISO 7010 with CNBOP-PIB approval, sized 150 x 150 mm for workplaces and dwellings where portable extinguishers must be visible above or beside the bracket.



MANUFACTURER MODEL	MATERIAL	STANDARD
F01	Hard PVC with adhesive backing	PN-EN ISO 7010 (not EN 3-7; CNBOP-PIB Nr 3910/2020)
DIMENSIONS	GROSS WEIGHT	COLOUR
150 x 150 mm	0.15 kg	Red background with white F01 extinguisher pictogram
MOUNTING	MANUFACTURE	ARTICLE NUMBER
Self-adhesive hard PVC plate (no separate hanger)	Manufactured in Poland	NV-SG-F01-150
INCOTERMS	EXW · FCA · DAP	HS CODE 3919.90

Equipment

Home safety

CE

ISO 9001

EN 14604:2005

Apartment Home Safety Kit, Red 2 L ABF + Kidde Smoke Detector

Residential bundle pairing a red 2 L ABF domestic liquid extinguisher rated 8A 55B 40F with a Kidde 2030-DSR optical smoke detector for flats and small homes that need one SKU for early warning and reachable fire cover.



MANUFACTURER MODEL

Zestaw Bezpieczne
Mieszkanie (UGPN-2x ABF/M
+ Kidde 2030-DSR)

CONTENTS

UGPN-2x ABF/M (Domowa 2
red) 2 L liquid extinguisher,
red metal basket wall
hanger, Kidde 2030-DSR
optical smoke detector

FIRE RATING

8A 55B 40F

CAPACITY

2 L

EXTINGUISHING MEDIUM

ABF liquid

STANDARD

Supplementary domestic
equipment (not EN 3-7; non-
standard label, no CNBOP-
PIB)

DETECTOR STANDARD

PN-EN 14604:2006 (EN
14604:2005), TÜV Rheinland
certified

DETECTION TYPE

Optical smoke detector,
replaceable 9V battery

OPERATING TEMPERATURE

+5 °C to +60 °C

ELECTRICAL SAFETY

Live equipment to 1000 V

DIMENSIONS

368 mm high, 110 mm
cylinder diameter

GROSS WEIGHT

3.5 kg

COLOUR

Red extinguisher and
hanger; white Kidde
detector

MOUNTING

Red metal basket wall
hanger included with
extinguisher; ceiling or wall
mount hardware with
detector

WARRANTY

5 years (extinguisher); 3
years (detector)

MANUFACTURE

Extinguisher manufactured
in Poland

ARTICLE NUMBER

NV-HSK-AP01R

INCOTERMS EXW · FCA · DAP

HS CODE 8424.10

Equipment

Home safety

CE

ISO 9001

EN 14604:2005

Apartment Home Safety Kit, White 2 L ABF + Kidde Smoke Detector

Residential bundle pairing a white 2 L ABF domestic liquid extinguisher rated 8A 55B 40F with a Kidde 2030-DSR optical smoke detector for flats and small homes that need a neutral-finish kit in one SKU for early warning and reachable fire cover.



MANUFACTURER MODEL

Zestaw Bezpieczne
Mieszkanie II (UGPN-2x
ABF/M + Kidde 2030-DSR)

CONTENTS

UGPN-2x ABF/M (Domowa 2
white) 2 L liquid
extinguisher, white metal
basket wall hanger, Kidde
2030-DSR optical smoke
detector

FIRE RATING

8A 55B 40F

CAPACITY

2 L

EXTINGUISHING MEDIUM

ABF liquid

STANDARD

Supplementary domestic
equipment (not EN 3-7; non-
standard label, no CNBOP-
PIB)

DETECTOR STANDARD

PN-EN 14604:2006 (EN
14604:2005), TÜV Rheinland
certified

DETECTION TYPE

Optical smoke detector,
replaceable 9V battery

OPERATING TEMPERATURE

+5 °C to +60 °C

ELECTRICAL SAFETY

Live equipment to 1000 V

DIMENSIONS

368 mm high, 110 mm
cylinder diameter

GROSS WEIGHT

3.5 kg

COLOUR

White extinguisher and
hanger; white Kidde
detector

MOUNTING

White metal basket wall
hanger included with
extinguisher; ceiling or wall
mount hardware with
detector

WARRANTY

5 years (extinguisher); 3
years (detector)

MANUFACTURE

Extinguisher manufactured
in Poland

ARTICLE NUMBER

NV-HSK-AP01W

INCOTERMS EXW · FCA · DAP

HS CODE 8424.10

Equipment

Safety signage

CNBOP-PIB

Fire Blanket Sign F16, 150 x 150 mm

Photoluminescent self-adhesive hard PVC fire blanket sign to PN-EN ISO 7010 with CNBOP-PIB approval, sized 150 x 150 mm for kitchens, plant rooms, and escape routes where a fire blanket is mounted but not immediately obvious.



MANUFACTURER MODEL	MATERIAL	STANDARD
F16	Photoluminescent hard PVC with adhesive backing	PN-EN ISO 7010 (not EN 3-7; CNBOP-PIB Nr 3910/2020)
DIMENSIONS	GROSS WEIGHT	COLOUR
150 x 150 mm	0.15 kg	Red background with white F16 fire blanket pictogram
MOUNTING	MANUFACTURE	ARTICLE NUMBER
Self-adhesive hard PVC plate (no separate hanger)	Manufactured in Poland	NV-SG-F16-150
INCOTERMS	EXW · FCA · DAP	HS CODE 3919.90

Equipment

Home safety

CE

ISO 9001

EN 3-7

CNBOP-PIB

EN 14604:2005

House Home Safety Kit, Red 4 kg ABC + 2 L ABF + Kidde Smoke Detector

Residential bundle pairing a 4 kg ABC powder extinguisher rated 27A 144B C, a red 2 L ABF liquid extinguisher rated 8A 55B 40F, and a Kidde 2030-DSR optical smoke detector for houses with a kitchen, boiler room, or garage that need one SKU for early warning and dual extinguisher cover.



MANUFACTURER MODEL

Zestaw Bezpieczny Dom (GP-4x ABC/MP + UGPN-2x ABF/M + Kidde 2030-DSR)

CONTENTS

GP-4x ABC/MP 4 kg ABC powder extinguisher with metal hook wall hanger, UGPN-2x ABF/M (Domowa 2 red) 2 L liquid extinguisher with red metal basket wall hanger, Kidde 2030-DSR optical smoke detector

FIRE RATING

8A 55B 40F (2 L liquid); 27A 144B C (4 kg powder)

CAPACITY

2 L liquid and 4 kg powder

EXTINGUISHING MEDIUM

ABF liquid (2 L) and ABC powder (4 kg)

STANDARD

4 kg GP-4x ABC/MP: EN 3-7 (CNBOP-PIB approved); 2 L UGPN-2x ABF/M: supplementary domestic equipment (not EN 3-7; non-standard label, no CNBOP-PIB)

DETECTOR STANDARD

PN-EN 14604:2006 (EN 14604:2005), TÜV Rheinland certified

DETECTION TYPE

Optical smoke detector, replaceable 9V battery

OPERATING TEMPERATURE

+5 °C to +60 °C (2 L liquid) and -30 °C to +60 °C (4 kg powder)

ELECTRICAL SAFETY

Live equipment to 1000 V

DIMENSIONS

368 mm high, 110 mm cylinder diameter (2 L); 463 mm high, 140 mm cylinder diameter (4 kg)

GROSS WEIGHT

3.5 kg (2 L) and 6.8 kg (4 kg)

COLOUR

Red liquid extinguisher and basket hanger; red powder extinguisher; white Kidde detector

MOUNTING

Red metal basket wall hanger with 2 L liquid extinguisher; metal hook wall hanger with 4 kg powder extinguisher; ceiling or wall mount hardware with detector

EXTINGUISHER PED

ISO 9001 certified production; meets European EN 3 and PED 97/23/EC requirements (manufacturer specification)

WARRANTY

5 years (2 L liquid); 2 years (4 kg powder); 3 years (detector)

MANUFACTURE

Extinguishers manufactured in Poland

ARTICLE NUMBER

NV-HSK-HO01R

INCOTERMS EXW · FCA · DAP

HS CODE 8424.10

Equipment

Vehicle equipment

CE

EN 3-7

CNBOP-PIB

ISO 9001

DIN 13164:2022

Vehicle Safety Kit, GP-1z BC/M 1 kg Extinguisher and Road Equipment

Road safety bundle with a GP-1z BC/M 1 kg BC powder car extinguisher, plastic vehicle hanger, DIN 13164:2022 first aid kit, high-visibility vest, and warning triangle for passenger cars and fleet boots.



MANUFACTURER MODEL	CONTENTS	STANDARD
Zestaw bezpieczeństwa do samochodu (GP-1z BC/M)	GP-1z BC/M 1 kg BC powder extinguisher, plastic vehicle hanger, first aid kit with equipment (DIN 13164:2022), high-visibility warning vest, warning triangle	Extinguisher GP-1z BC/M: EN 3-7 (CNBOP-PIB approved); first aid kit: DIN 13164:2022; vest and triangle not EN 3-7
MOUNTING	MANUFACTURE	ARTICLE NUMBER
Plastic vehicle hanger included with extinguisher	Manufactured in Poland	NV-VSK-CAR01
INCOTERMS	EXW · FCA · DAP	HS CODE 8424.10

Equipment

Vehicle equipment

Micro Warning Triangle for Cars, TBA070

Compact foldable warning triangle from MVM Sp. z o.o. with red reflective panels, fluorescent orange inner frame, and a red protective storage case for passenger cars, taxis, and fleet boots where a smaller triangle must fit beside other road equipment.



MANUFACTURER MODEL	CONTENTS	STANDARD
TBA070 Micro	Foldable warning triangle, red protective storage case	Road breakdown accessory (not EN 3-7; no CNBOP-PIB)
MATERIAL	COLOUR	GROSS WEIGHT
Red reflective panels, fluorescent orange inner frame, folding metal legs, red plastic case	Red reflective with fluorescent orange centre; red case	0.4 kg
MOUNTING	MANUFACTURE	ARTICLE NUMBER
None (no vehicle hanger; stores in included red case)	Manufactured by MVM Sp. z o.o., Koronowo, Poland	NV-WT-MICRO
EAN		
5902444191427		
INCOTERMS	EXW · FCA · DAP	HS CODE 8708.99



European-manufactured fire extinguishers, blankets, home safety kits, signage, and vehicle equipment, supplied to trade buyers with conformity documentation in every consignment.

Everything evidenced, nothing assumed.

Equipment leaves with its manufacturer's conformity documents and article numbers on the delivery note, so goods-in is a folder you open rather than a chase through three suppliers.

DISTRIBUTION SERVICES

	ABC Powder Fire Extinguisher, 1 kg	Domestic Liquid Fire Extinguisher, 2 L, White
CAPACITY	1 kg	2 L
EXTINGUISHING MEDIUM	ABC dry powder	1.56 L demineralized water + 0.4 L FUREX A + 0.04 L FUREX AFFF cartridge
STANDARD	EN 3-7	Supplementary domestic equipment (not EN 3-7; white tank, no CNBOP-PIB)
OPERATING TEMPERATURE	-30 °C to +60 °C	+5 °C to +60 °C
ELECTRICAL SAFETY	Live equipment to 1000 V at 1 m minimum	Live equipment to 1000 V
DIMENSIONS	297 mm high, 86 mm cylinder diameter	368 mm high, 110 mm cylinder diameter
GROSS WEIGHT	1.7 kg	3.5 kg
MOUNTING	Pressure gauge and wall holder included	White metal basket wall hanger included
MANUFACTURE	Manufactured in Europe	Manufactured in Poland
ARTICLE NUMBER	NV-FE-101	NV-FE-D20W
HS CODE	8424.10	8424.10
INCOTERMS	EXW · FCA · DAP	EXW · FCA · DAP
CONFORMITY	CE, EN 3-7	CE, ISO 9001

Everything evidenced, nothing assumed.

DISTRIBUTION SERVICES

	ABC Powder Fire Extinguisher, 1 kg, with Vehicle Hanger	Domestic Liquid Fire Extinguisher, 2 L, Red	ABC Powder Fire Extinguisher, 4 kg
MANUFACTURER MODEL	GP-1x ABC/M	UGPN-2x ABF/M (Domowa 2 red)	GP-4x ABC/MP
FIRE RATING	8A 34B C	—	27A 144B C
CAPACITY	1 kg	2 L	4 kg
EXTINGUISHING MEDIUM	ABC dry powder	1.56 L demineralized water + 0.4 L FUREX A + 0.04 L FUREX AFFF cartridge	ABC dry powder
STANDARD	EN 3-7 (CNBOP-PIB approved)	Supplementary domestic equipment (not EN 3-7; non-standard label, no CNBOP-PIB)	EN 3-7 (CNBOP-PIB approved)
OPERATING TEMPERATURE	-30 °C to +60 °C	+5 °C to +60 °C	-30 °C to +60 °C
ELECTRICAL SAFETY	Live equipment to 1000 V at 1 m minimum	Live equipment to 1000 V	Live equipment to 1000 V
DIMENSIONS	288 mm high, 86 mm cylinder diameter	368 mm high, 110 mm cylinder diameter	463 mm high, 140 mm cylinder diameter
GROSS WEIGHT	1.7 kg	3.5 kg	6.8 kg
MOUNTING	Plastic vehicle hanger included	Red metal basket wall hanger included	Metal hook wall hanger included
WARRANTY	3 years from date of manufacture	5 years from date of manufacture	2 years from date of manufacture
MANUFACTURE	Manufactured in Poland	Manufactured in Poland	Manufactured in Poland
EAN	5907620600700	5907620602469	5907620600403
ARTICLE NUMBER	—	NV-FE-D20R	NV-FE-104
HS CODE	8424.10	8424.10	8424.10
INCOTERMS	EXW · FCA · DAP	EXW · FCA · DAP	EXW · FCA · DAP
CONFORMITY	CE, EN 3-7, CNBOP-PIB, ISO 9001	CE, ISO 9001	CE, EN 3-7, CNBOP-PIB, ISO 9001

Everything evidenced, nothing assumed.

DISTRIBUTION SERVICES

	Domestic Liquid Fire Extinguisher, 0.7 L	ABC Powder Fire Extinguisher, 6 kg
MANUFACTURER MODEL	Domowa 1	GP-6x ABC/MP
FIRE RATING	3A 5F	55A 233B C
CAPACITY	0.7 L	6 kg
EXTINGUISHING MEDIUM	FUREX CASA BIO liquid	ABC dry powder
STANDARD	Supplementary domestic equipment (not EN 3-7; white tank, no CNBOP-PIB)	EN 3-7
OPERATING TEMPERATURE	-30 °C to +60 °C	-30 °C to +60 °C
ELECTRICAL SAFETY	Live equipment to 1000 V	Live equipment to 1000 V
DIMENSIONS	286 mm high, 86 mm cylinder diameter	495 mm high, 160 mm cylinder diameter
GROSS WEIGHT	1.6 kg	9.3 kg
WARRANTY	5 years from date of manufacture	2 years from date of manufacture
MANUFACTURE	Manufactured in Poland	Manufactured in Poland
ARTICLE NUMBER	NV-FE-D07	NV-FE-106
EAN	5907620600892	5907620600557
HS CODE	8424.10	8424.10
INCOTERMS	EXW · FCA · DAP	EXW · FCA · DAP
CONFORMITY	CE, ISO 9001	CE, EN 3-7, CNBOP-PIB, ISO 9001

Everything evidenced, nothing assumed.

DISTRIBUTION SERVICES

	Liquid Fire Extinguisher, 2 L ABF	ABC Powder Fire Extinguisher, 9 kg	BC Powder Fire Extinguisher, 1 kg, with Vehicle Hanger
MANUFACTURER MODEL	GPN-2x ABF/M	GP-9x ABC/MP	GP-1z BC/M
FIRE RATING	8A 55B 40F	55A 233B C	21B C
CAPACITY	2 L	9 kg	1 kg
EXTINGUISHING MEDIUM	1.56 L demineralized water + 0.4 L FUREX A + 0.04 L FUREX AFFF cartridge	FUREX S ABC	BC dry powder
STANDARD	EN 3-7 (CNBOP-PIB approved)	EN 3-7 (CNBOP-PIB approved)	EN 3-7
OPERATING TEMPERATURE	+5 °C to +60 °C	-30 °C to +60 °C	-20 °C to +60 °C
ELECTRICAL SAFETY	Live equipment to 1000 V	Live equipment to 1000 V	Live equipment to 1000 V
DIMENSIONS	368 mm high, 110 mm cylinder diameter	588 mm high, 185 mm cylinder diameter	265 mm high, 86 mm cylinder diameter
GROSS WEIGHT	3.5 kg	14 kg	1.6 kg
MOUNTING	Red metal basket wall hanger included	Metal hook wall hanger included	Plastic vehicle hanger included
WARRANTY	2 years from date of manufacture	2 years from date of manufacture	5 years from date of manufacture
MANUFACTURE	Manufactured in Poland	Manufactured in Poland	Manufactured in Poland
ARTICLE NUMBER	NV-FE-L2A	NV-FE-109	NV-FE-1ZC
EAN	5907620600304	5907620602346	5907620600458
HS CODE	8424.10	8424.10	8424.10
INCOTERMS	EXW · FCA · DAP	EXW · FCA · DAP	EXW · FCA · DAP
CONFORMITY	CE, EN 3-7, CNBOP-PIB, ISO 9001	CE, EN 3-7, CNBOP-PIB, ISO 9001	CE, EN 3-7, CNBOP-PIB, ISO 9001

Everything evidenced, nothing assumed.

DISTRIBUTION SERVICES

	Liquid Fire Extinguisher, 3 L ABF	ABC Powder Fire Extinguisher, 12 kg	ABC Powder Fire Extinguisher, 2 kg, with Metal Basket Hanger
MANUFACTURER MODEL	GPN-3x ABF	GP-12x ABC	GP-2x ABC/M
FIRE RATING	13A 89B 40F	55A 233B C	13A 89B C
CAPACITY	3 L	12 kg	2 kg
EXTINGUISHING MEDIUM	2.34 L demineralized water + 0.6 L Furex A + 0.06 L Furex AFFF cartridge	ABC dry powder	ABC dry powder
STANDARD	EN 3-7 (CNBOP-PIB approved)	EN 3-7 (CNBOP-PIB approved)	EN 3-7 (CNBOP-PIB approved)
OPERATING TEMPERATURE	+5 °C to +60 °C	-30 °C to +60 °C	-30 °C to +60 °C
ELECTRICAL SAFETY	Live equipment to 1000 V	Live equipment to 1000 V	Live equipment to 1000 V
DIMENSIONS	412 mm high, 125 mm cylinder diameter	658 mm high, 185 mm cylinder diameter	366 mm high, 110 mm cylinder diameter
GROSS WEIGHT	4.8 kg	19 kg	3.7 kg
MOUNTING	Silver metal wall hanger included	Metal hook wall hanger included	Metal basket hanger included
WARRANTY	2 years from date of manufacture	2 years from date of manufacture	2 years from date of manufacture
MANUFACTURE	Manufactured in Poland	Manufactured in Poland	Manufactured in Poland
ARTICLE NUMBER	NV-FE-L3A	NV-FE-112	—
EAN	1GPN303000-001	5907620601141	5907620600229
HS CODE	8424.10	8424.10	8424.10
INCOTERMS	EXW · FCA · DAP	EXW · FCA · DAP	EXW · FCA · DAP
CONFORMITY	CE, EN 3-7, CNBOP-PIB, ISO 9001	CE, EN 3-7, CNBOP-PIB, ISO 9001	CE, EN 3-7, CNBOP-PIB, ISO 9001

Everything evidenced, nothing assumed.

DISTRIBUTION SERVICES

	Water Mist Fire Extinguisher, 6 L	CO2 Electronic Equipment Extinguisher, 2 kg, with UDT Permit
MANUFACTURER MODEL	GWM-6x AF/MP	GSE-2x
CAPACITY	6 L	2 kg
EXTINGUISHING MEDIUM	Demineralized water	CO2
STANDARD	EN 3-7	Supplementary equipment (not EN 3-7; no CNBOP-PIB, UDT operating permit)
OPERATING TEMPERATURE	+5 °C to +60 °C	-30 °C to +60 °C
ELECTRICAL SAFETY	Live equipment to 1000 V at 1 m minimum	Live equipment to 1000 V
DIMENSIONS	502 mm high, 160 mm cylinder diameter	543 mm high, 105 mm cylinder diameter
GROSS WEIGHT	9.5 kg	6.5 kg
COLOUR	Red cylinder, black base	Red cylinder, red handle, black discharge tube
MOUNTING	Metal hook wall hanger included	Red disc wall hanger with black strap included
WARRANTY	2 years from date of manufacture	2 years from date of manufacture
MANUFACTURE	Manufactured in Poland	Manufactured in Poland
ARTICLE NUMBER	NV-FE-WM6	NV-FE-CO2U
EAN	5907620602377	5907620600250
HS CODE	8424.10	8424.10
INCOTERMS	EXW · FCA · DAP	EXW · FCA · DAP
CONFORMITY	CE, EN 3-7, CNBOP-PIB, ISO 9001	CE, ISO 9001

Everything evidenced, nothing assumed.

DISTRIBUTION SERVICES

	Liquid Fire Extinguisher, 6 L ABF	CO2 Fire Extinguisher, 5 kg, with UDT Permit
MANUFACTURER MODEL	GPN-6x ABF/MP	GS-5x B/MP
FIRE RATING	21A 233B 40F	89B
CAPACITY	6 L	5 kg
EXTINGUISHING MEDIUM	5.91 L demineralized water + 0.09 L Furex AFFF cartridge	CO2
STANDARD	EN 3-7	EN 3-7 (CNBOP-PIB approved, UDT permit)
OPERATING TEMPERATURE	+5 °C to +60 °C	-30 °C to +60 °C
ELECTRICAL SAFETY	Live equipment to 1000 V	Live equipment to 1000 V / 245 000 V
DIMENSIONS	502 mm high, 160 mm cylinder diameter	685 mm high, 136 mm cylinder diameter
GROSS WEIGHT	9.5 kg	14 kg
COLOUR	Red cylinder, black base	Red cylinder, black hose and horn
MOUNTING	Metal hook wall hanger included	Disc wall hanger with strap included
WARRANTY	2 years from date of manufacture	2 years from date of manufacture
MANUFACTURE	Manufactured in Poland	Manufactured in Poland
ARTICLE NUMBER	NV-FE-L6A	NV-FE-CO5U
EAN	5907620601165	5907620600502
HS CODE	8424.10	8424.10
INCOTERMS	EXW · FCA · DAP	EXW · FCA · DAP
CONFORMITY	CE, EN 3-7, CNBOP-PIB, ISO 9001	CE, EN 3-7, CNBOP-PIB, ISO 9001

Everything evidenced, nothing assumed.

DISTRIBUTION SERVICES

	Foam Fire Extinguisher, 2 L VER-DIS Li-Ion	Foam Fire Extinguisher, 6 L VER-DIS Li-Ion
MANUFACTURER MODEL	GW-2x A/VER-DIS	GW-6x A/VER-DIS
FIRE RATING	8A	21A
CAPACITY	2 L	6 L
EXTINGUISHING MEDIUM	VERDIS	VERDIS
STANDARD	CNBOP-PIB approved (świadectwo dopuszczenia); not EN 3-7	ISO 9001 quality system; PED 2014/68/EU; CNBOP-PIB approval certificate issued (GW-6x A/VER-DIS)
OPERATING TEMPERATURE	+5 °C to +60 °C	+5 °C to +60 °C
ELECTRICAL SAFETY	Live equipment to 1000 V at 1 m minimum	Live equipment to 1000 V at 1 m minimum
DIMENSIONS	368 mm high, 110 mm cylinder diameter	502 mm high, 160 mm cylinder diameter
GROSS WEIGHT	~3.6 kg	11.5 kg
COLOUR	Red cylinder	Red cylinder, black base and hose
MOUNTING	Red metal basket wall hanger included	Silver metal hook wall hanger included
WARRANTY	2 years from date of manufacture	2 years from date of manufacture
MANUFACTURE	Manufactured in Poland	Manufactured in Poland
ARTICLE NUMBER	NV-FE-VD2	NV-FE-VD6
HS CODE	8424.10	8424.10
INCOTERMS	EXW · FCA · DAP	EXW · FCA · DAP
CONFORMITY	CE, CNBOP-PIB, ISO 9001, PED 2014/68/EU	CE, CNBOP-PIB, ISO 9001, PED 2014/68/EU

Everything evidenced, nothing assumed.

DISTRIBUTION SERVICES

	Liquid Fire Extinguisher, 6 L AB Fluorine-Free	Liquid Fire Extinguisher, 6 L AB	Liquid Fire Extinguisher, 9 L AB Fluorine-Free
MANUFACTURER MODEL	GPN-6x AB/FF	GPN-6x AB	GPN-9x AB/FF
FIRE RATING	27A 144B	21A 183B	34A 183B
CAPACITY	6 L	6 L	9 L
EXTINGUISHING MEDIUM	6 L FFX150 fluorine-free AB foam solution	5.91 L demineralized water + 0.09 L BOAL AFFF compact	9 L FFX150 fluorine-free AB foam solution
STANDARD	EN 3-7 (CNBOP-PIB approved)	EN 3-7 (CNBOP-PIB approved)	EN 3-7 (CNBOP-PIB approved)
OPERATING TEMPERATURE	0 °C to +60 °C	+5 °C to +60 °C	0 °C to +60 °C
ELECTRICAL SAFETY	Live equipment to 1000 V	Live equipment to 1000 V	Live equipment to 1000 V
DIMENSIONS	502 mm high, 160 mm cylinder diameter	502 mm high, 160 mm cylinder diameter	576 mm high, 185 mm cylinder diameter
GROSS WEIGHT	9.4 kg	9.3 kg	14 kg
COLOUR	Red cylinder, green base and nozzle	Red cylinder, black base	Red cylinder, green base and nozzle
MOUNTING	Silver metal hook wall hanger included	Metal hook wall hanger included	Silver metal hook wall hanger included
WARRANTY	2 years from date of manufacture	2 years from date of manufacture	2 years from date of manufacture
MANUFACTURE	Manufactured in Poland	Manufactured in Poland	Manufactured in Poland
ARTICLE NUMBER	NV-FE-L6F	NV-FE-L6B	NV-FE-L9F
EAN	5907620602490	5907620600380	5907620602513
HS CODE	8424.10	8424.10	8424.10
INCOTERMS	EXW · FCA · DAP	EXW · FCA · DAP	EXW · FCA · DAP
CONFORMITY	CE, EN 3-7, CNBOP-PIB, ISO 9001	CE, EN 3-7, CNBOP-PIB, ISO 9001	CE, EN 3-7, CNBOP-PIB, ISO 9001

Everything evidenced, nothing assumed.

DISTRIBUTION SERVICES

	CO2 Fire Extinguisher, 2 kg, with UDT Permit	Foam Fire Extinguisher, 9 L VER-DIS Li-Ion
MANUFACTURER MODEL	GS-2x B	GW-9x A/VER-DIS
FIRE RATING	34B	27A
CAPACITY	2 kg	9 L
EXTINGUISHING MEDIUM	CO2	VERDIS
STANDARD	EN 3-7 (CNBOP-PIB approved, UDT permit)	CNBOP-PIB approved (świadcetwo dopuszczenia); not EN 3-7
OPERATING TEMPERATURE	-30 °C to +60 °C	+5 °C to +60 °C
ELECTRICAL SAFETY	Live equipment to 1000 V	Live equipment to 1000 V at 1 m minimum
DIMENSIONS	543 mm high, 105 mm cylinder diameter	576 mm high, 185 mm cylinder diameter
GROSS WEIGHT	7 kg	14 kg
COLOUR	Red cylinder, red handle, black horn	Red cylinder, black base and hose
MOUNTING	Metal wall hanger with strap included	Silver metal hook wall hanger included
WARRANTY	2 years from date of manufacture	2 years from date of manufacture
MANUFACTURE	Manufactured in Poland	Manufactured in Poland
ARTICLE NUMBER	NV-FE-CO2B	NV-FE-VD9
HS CODE	8424.10	8424.10
INCOTERMS	EXW · FCA · DAP	EXW · FCA · DAP
CONFORMITY	CE, EN 3-7, CNBOP-PIB, ISO 9001	CE, CNBOP-PIB, ISO 9001, PED 2014/68/EU

Everything evidenced, nothing assumed.

DISTRIBUTION SERVICES

	Glass Fibre Fire Blanket, 1.2 x 1.8 m	Car First Aid Kit, DIN 13164:2022	Fire Extinguisher Sign F01, 150 x 150 mm
MANUFACTURER MODEL	ECST 200-150	—	F01
MATERIAL	Woven glass fibre	—	Hard PVC with adhesive backing
STANDARD	PN-EN 186:2019 (not EN 3-7; CNBOP-PIB approved)	DIN 13164:2022 (not EN 3-7; no CNBOP-PIB)	PN-EN ISO 7010 (not EN 3-7; CNBOP-PIB Nr 3910/2020)
DIMENSIONS	1.2 x 1.8 m	220 mm wide x 130 mm high x 55 mm deep	150 x 150 mm
GROSS WEIGHT	1.44 kg	0.37 kg	0.15 kg
COLOUR	Red wall-hang storage cover	Red soft pouch	Red background with white F01 extinguisher pictogram
MOUNTING	Red wall-hang storage cover with grommets and pull handles (no separate hanger)	None (no vehicle hanger)	Self-adhesive hard PVC plate (no separate hanger)
MANUFACTURE	Manufactured in Poland	Manufactured by GAUKE GAUKE HEALTHCARE Co., Ltd., China	Manufactured in Poland
ARTICLE NUMBER	NV-FB-1218	NV-FAK-CAR	NV-SG-F01-150
EAN	5907522977948	5907620602476	—
HS CODE	6307.90	3006.50	3919.90
INCOTERMS	EXW · FCA · DAP	EXW · FCA · DAP	EXW · FCA · DAP
CONFORMITY	CE, EN 1869, CNBOP-PIB	CE, DIN 13164:2022	CNBOP-PIB

Everything evidenced, nothing assumed.

DISTRIBUTION SERVICES

Apartment Home Safety Kit, Red 2 L ABF + Kidde Smoke Detector

MANUFACTURER MODEL	Zestaw Bezpieczne Mieszkanie (UGPN-2x ABF/M + Kidde 2030-DSR)
CONTENTS	UGPN-2x ABF/M (Domowa 2 red) 2 L liquid extinguisher, red metal basket wall hanger, Kidde 2030-DSR optical smoke detector
FIRE RATING	8A 55B 40F
CAPACITY	2 L
EXTINGUISHING MEDIUM	ABF liquid
STANDARD	Supplementary domestic equipment (not EN 3-7; non-standard label, no CNBOP-PIB)
DETECTOR STANDARD	PN-EN 14604:2006 (EN 14604:2005), TÜV Rheinland certified
DETECTION TYPE	Optical smoke detector, replaceable 9V battery
OPERATING TEMPERATURE	+5 °C to +60 °C
ELECTRICAL SAFETY	Live equipment to 1000 V
DIMENSIONS	368 mm high, 110 mm cylinder diameter
GROSS WEIGHT	3.5 kg
COLOUR	Red extinguisher and hanger; white Kidde detector
MOUNTING	Red metal basket wall hanger included with extinguisher; ceiling or wall mount hardware with detector
WARRANTY	5 years (extinguisher); 3 years (detector)
MANUFACTURE	Extinguisher manufactured in Poland
ARTICLE NUMBER	NV-HSK-AP01R
HS CODE	8424.10
INCOTERMS	EXW · FCA · DAP
CONFORMITY	CE, ISO 9001, EN 14604:2005

Everything evidenced, nothing assumed.

DISTRIBUTION SERVICES

	Apartment Home Safety Kit, White 2 L ABF + Kidde Smoke Detector	Fire Blanket Sign F16, 150 x 150 mm
MANUFACTURER MODEL	Zestaw Bezpieczne Mieszkanie II (UGPN-2x ABF/M + Kidde 2030-DSR)	F16
STANDARD	Supplementary domestic equipment (not EN 3-7; non-standard label, no CNBOP-PIB)	PN-EN ISO 7010 (not EN 3-7; CNBOP-PIB Nr 3910/2020)
DIMENSIONS	368 mm high, 110 mm cylinder diameter	150 x 150 mm
GROSS WEIGHT	3.5 kg	0.15 kg
COLOUR	White extinguisher and hanger; white Kidde detector	Red background with white F16 fire blanket pictogram
MOUNTING	White metal basket wall hanger included with extinguisher; ceiling or wall mount hardware with detector	Self-adhesive hard PVC plate (no separate hanger)
MANUFACTURE	Extinguisher manufactured in Poland	Manufactured in Poland
ARTICLE NUMBER	NV-HSK-AP01W	NV-SG-F16-150
HS CODE	8424.10	3919.90
INCOTERMS	EXW · FCA · DAP	EXW · FCA · DAP
CONFORMITY	CE, ISO 9001, EN 14604:2005	CNBOP-PIB

Everything evidenced, nothing assumed.

DISTRIBUTION SERVICES

	House Home Safety Kit, Red 4 kg ABC + 2 L ABF + Kidde Smoke Detector	Vehicle Safety Kit, GP-1z BC/M 1 kg Extinguisher and Road Equipment
MANUFACTURER MODEL	Zestaw Bezpieczny Dom (GP-4x ABC/MP + UGPN-2x ABF/M + Kidde 2030-DSR)	Zestaw bezpieczeństwa do samochodu (GP-1z BC/M)
CONTENTS	GP-4x ABC/MP 4 kg ABC powder extinguisher with metal hook wall hanger, UGPN-2x ABF/M (Domowa 2 red) 2 L liquid extinguisher with red metal basket wall hanger, Kidde 2030-DSR optical smoke detector	GP-1z BC/M 1 kg BC powder extinguisher, plastic vehicle hanger, first aid kit with equipment (DIN 13164:2022), high-visibility warning vest, warning triangle
STANDARD	4 kg GP-4x ABC/MP: EN 3-7 (CNBOP-PIB approved); 2 L UGPN-2x ABF/M: supplementary domestic equipment (not EN 3-7; non-standard label, no CNBOP-PIB)	Extinguisher GP-1z BC/M: EN 3-7 (CNBOP-PIB approved); first aid kit: DIN 13164:2022; vest and triangle not EN 3-7
MOUNTING	Red metal basket wall hanger with 2 L liquid extinguisher; metal hook wall hanger with 4 kg powder extinguisher; ceiling or wall mount hardware with detector	Plastic vehicle hanger included with extinguisher
MANUFACTURE	Extinguishers manufactured in Poland	Manufactured in Poland
ARTICLE NUMBER	NV-HSK-HO01R	NV-VSK-CAR01
HS CODE	8424.10	8424.10
INCOTERMS	EXW · FCA · DAP	EXW · FCA · DAP
CONFORMITY	CE, ISO 9001, EN 3-7, CNBOP-PIB, EN 14604:2005	CE, EN 3-7, CNBOP-PIB, ISO 9001, DIN 13164:2022

Everything evidenced, nothing assumed.

DISTRIBUTION SERVICES

Micro Warning Triangle for Cars, TBA070

MANUFACTURER MODEL	TBA070 Micro
CONTENTS	Foldable warning triangle, red protective storage case
STANDARD	Road breakdown accessory (not EN 3-7; no CNBOP-PIB)
MATERIAL	Red reflective panels, fluorescent orange inner frame, folding metal legs, red plastic case
COLOUR	Red reflective with fluorescent orange centre; red case
GROSS WEIGHT	0.4 kg
MOUNTING	None (no vehicle hanger; stores in included red case)
MANUFACTURE	Manufactured by MVM Sp. z o.o., Koronowo, Poland
ARTICLE NUMBER	NV-WT-MICRO
EAN	5902444191427
HS CODE	8708.99
INCOTERMS	EXW · FCA · DAP
CONFORMITY	—

Everything evidenced, nothing assumed.

INCLUDED WITH EVERY CONSIGNMENT

☒ EU declaration of conformity

☒ Delivery note with article numbers

☒ ADR carriage paperwork where required

☒ Instructions in the destination language

☒ Conformity copies on your account

☒ Quotation with lead times and standards

STANDARDS ON OUR CATALOGUE

EN 3-7

EN 14604

EN 1869

CE

PED 2014/68/EU

What buyers ask before the first order.

Conformity documents, delivery markets, and how wholesale ordering works.

Who does NORDSKYDD supply?

We sell wholesale to trade buyers: fire equipment installers and service companies, facility managers, retailers, resellers, and contractors who need certified articles with conformity paperwork. We do not sell to consumers and we do not offer on-site installation or maintenance labour.

Do you manufacture the equipment yourselves?

No. NORDSKYDD is a distributor. The articles in our catalogue are manufactured in Europe to harmonised EN standards. We source from European production and supply the conformity documents that accompany each batch, but we do not claim to be the manufacturer.

What conformity documents ship with a wholesale order?


Each article travels with the EU declaration of conformity or performance for the standard it is certified to, plus the manufacturer's instructions in the destination language where required. The delivery note lists article numbers and batch references, and we keep copies against your account for audit.

Which countries can you deliver equipment to?

We arrange delivery to sixteen EU and EEA markets from our Gothenburg desk. Carriage method and lead time depend on the articles ordered, especially where charged extinguishers move as limited-quantity dangerous goods under ADR. Tell us the destination and quantity and we confirm both on the quotation.

Where we deliver equipment.

We arrange delivery to sixteen EU and EEA markets. Each consignment includes the EU declaration of conformity and destination-language instructions for the articles ordered.



EQUIPMENT DELIVERY MARKETS

Norway	Denmark	Finland	Estonia	Latvia	Lithuania	Poland	Germany
Netherlands	Belgium	France	Ireland	Austria	Czechia	Italy	Spain

GET IN TOUCH

Request a quote.

Tell us what you need, how many, and where it is going. We reply with pricing, lead times, and the standards each line is certified to.

EMAIL

sales@nordskydd.com

WHATSAPP

+46 70 927 46 10

PHONE

+46 31 27 46 10

OFFICE

NORDSKYDD AB

Exportgatan 47B

422 46 Hisings Backa, Gothenburg, Sweden

HOURS

Mon to Fri, 07:30 to 16:30 CET



SCAN TO VISIT OUR WEBSITE

nordskydd.com